

# KÄRCHER

makes a difference



## LARGE AREA CLEANING MADE EASY.

Intelligent scrubber with KIK (Kärcher Intelligent Key) system.

# Excellent maneuverability for large surfaces.

The range of B 80 W BP scrubbers are large but still easily maneuverable. With a robust and maintenance-friendly brush head, they are available with roller or disc brushes in 22", 26" and 30" working widths.



## 1 4-color LCD display

■ All cleaning programs are indicated by large easy-to-read symbols on the large 4-color display, along with all major functions: battery capacity with remaining running time in minutes, water quantity, cleaning or transport speed, service interval indicator, dirty water tank full and cleaning agent dosage in percent.

## 2 Automatic lowering and raising of cleaning head and squeegee

■ The cleaning head and squeegee are raised automatically for reverse travel and lowered again when you change back to forward travel. This easy and convenient operation save wear and tear on both the cleaning head and squeegee.


## 3 Automatic water filling (optional)

■ The Auto Fill In option allows the B 80 to fill with fresh B 80 W. To fill, simply connect a hose with a conventional quick coupling. Filling stops automatically when the tank is full. During filling time the operator can perform other tasks, saving time and money.

## 4 Flexible Application Control Technology (FACT)

■ With FACT technology, a Kärcher exclusive, the brush speed of roller brushes can be adjusted to different cleaning applications using three settings. Power Clean 100% - for stubborn dirt and polishing. Whisper Clean 60% - reduces noise levels and ensures long working intervals with low power consumption. Fine Clean 40%, the grey film on so-called fine stoneware tiles can optimally be removed in conjunction with the green roller.

# Technical Specifications and Order Numbers.



## B 80 W Bp

		R 65	D 65
<b>+ brush head</b>			
<b>Brush working width</b>	<b>inches</b>	26	26
<b>Working width, suction</b>	<b>inches</b>	37	37
<b>Theoretical area performance</b>	<b>ft<sup>2</sup> / h</b>	27986	27986
<b>Fresh/dirty water tank capacity</b>	<b>gallons</b>	21 / 21	21 / 21
<b>Max. water flow</b>	<b>gallons</b>	2	2
<b>Max. speed</b>	<b>rpm</b>	600-1300	180
<b>Power consumption, entire device</b>	<b>W</b>	2200	2200
<b>Power consumption, traction motor</b>	<b>W</b>	350	350
<b>Weight (excluding battery)</b>	<b>lbs</b>	282	289
<b>Operating Noise Level</b>	<b>dBA</b>	61-66	61-66
<b>Dimensions (L x W x H)</b>	<b>inches</b>	61 x 29 x 45	62 x 29 x 45

### Equipment

Product	Order No.	Description
B 80 W Bp	9.841-388.0	21 gallon, w/ 225 AH batteries, D 65 brush head
B 80 W Bp	9.841-204.0	21 gallon, w/ 260 AH batteries, D 65 brush head
B 80 W Bp	9.841-195.0	26" walk-behind scrubber, includes R 65 cleaning head, batteries sold separately
B 80 W Bp	9.841-196.0	26" walk-behind scrubber, includes D 65 cleaning head, batteries sold separately
B 80 W Bp	9.841-197.0	Walk-behind scrubber, includes 225 Ah batteries and charger, cleaning head sold separately
B 80 W Bp	9.841-198.0	26" walk-behind scrubber, includes R 65 cleaning head and 225 Ah batteries and charger
B 80 W Bp	9.841-199.0	Walk-behind scrubber, includes 255 AGM batteries and charger, cleaning head sold separately
B 80 W Bp	9.841-200.0	26" walk-behind scrubber, includes R 65 cleaning head and 255 Ah batteries and charger
B 80 W Bp	9.841-201.0	26" walk-behind scrubber, includes D 65 cleaning head and 255 Ah batteries and charger
B 80 W Bp	9.841-202.0	Walk-behind scrubber, includes 260 Ah batteries and charger, cleaning head sold separately
B 80 W Bp	9.841-203.0	26" walk-behind scrubber, includes D 65 cleaning head and 260 Ah batteries and charger

### Accessories

Order No.	Description
■ 4.777-412.0	Suction bar, curved with rollers and polyurethane oil-resistant blades (37" / 940 mm)
■ 5.035-488.0	Adapter Homebase accessories
■ 6.980-077.0	Double hook (requires 5.035-488.0)
■ 5.035-344.0	Operator key, yellow
■ 5.035-348.0	Foreman key, gray
□ 8.600-251.0	Cable asm, bat. Jumper x 15" (required w/ no batt units)
□ 4.035-345.0	Quick fill tank system (requires 9.083-003.0)
□ 9.083-003.0	Hose coupling
□ 6.273-214.0	Squeegee blade set, blue EPDM
□ 6.273-208.0	Squeegee blade set, oil resistant - standard w/ 4.777-412.0
□ 6.273-205.0	Squeegee blade set, anti stripe oil resistant
□ 6.273-291.0	Squeegee blade set, for textured floors

■ Included □ Optional

Please contact us for more information:

**North America**

4555 Airport Way  
Denver, CO 80239 U.S.A.

Phone +1 800 444-7654  
Fax +1 866 271-0520

**Canada**

6535 Millcreek Drive  
Unit 67  
Mississauga, ON L5N 2M2 Canada

Phone +1 905 672-8233  
Fax +1 905 672-3155

[www.karcher.com/us](http://www.karcher.com/us)